

**Table 1C**  
**2010 Pediatric Nutrition Surveillance** (1)  
**New Hampshire**  
**Summary of Demographic Indicators**  
**Children Aged < 5 Years** (2,3)

Page: 1  
Run Date: 3 / 25 / 11

Total Records	Number
Individual Children	19,102
Total Records (All Visits)	25,689

Source of Data	Number	%
WIC	19,102	100.0
EPSDT	0	0.0
Child Health-MCH	0	0.0
Child Health-HMO	0	0.0
Headstart	0	0.0
School Health	0	0.0
Other	0	0.0
<b>Total</b>	<b>19,102</b>	<b>100.0</b>
<i>Excluded Unknown:</i> 0 0.0 %		

Race/Ethnic Distribution	Number	%
White, Not Hispanic	15,236	79.8
Black, Not Hispanic	713	3.7
Hispanic	2,140	11.2
American Indian/Alaska Native	168	0.9
Asian/Pacific Islander	391	2.0
Multiple Races	454	2.4
All Other	0	0.0
<b>Total</b>	<b>19,102</b>	<b>100.0</b>
<i>Excluded Unknown:</i> 0 0.0 %		

Age Distribution (4)	Number	%
0 - 5 Months	4,821	25.2
6 - 11 Months	1,304	6.8
12 - 23 Months	4,098	21.5
24 - 35 Months	3,336	17.5
3 - 4 Years	5,543	29.0
<b>Total</b>	<b>19,102</b>	<b>100.0</b>

% of Poverty Level	Number	%
0-50	6,153	32.4
51-100	5,774	30.4
101-130	3,011	15.9
131-150	1,579	8.3
151-185	1,966	10.4
186-200	182	1.0
Over 200	307	1.6
Adjunctive Eligibility	0	0.0
<b>Total</b>	<b>18,972</b>	<b>100.0</b>
<i>Excluded Unknown:</i> 130 0.7 %		

Program Participation	Number	%
WIC	19,102	100.0
SNAP	19,102	43.7
Medicaid	19,102	68.3
TANF	19,102	23.4
<i>Excluded Unknown:</i>		
WIC	0	0.0
SNAP	0	0.0
Medicaid	0	0.0
TANF	0	0.0

Migrant Status	Number	%
Yes	4	*
No	19,098	100.0
<b>Total</b>	<b>19,102</b>	<b>100.0</b>
<i>Excluded Unknown:</i> 0 0.0 %		

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 2C**  
**2010 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**New Hampshire**  
**Summary of Health Indicators**  
**Children Aged < 5 Years** <sup>(2)</sup>

Page: 2  
Run Date: 3 / 25 / 11

<b>Summary of Health Indicators</b> <sup>(3)</sup>					
			<b>New Hampshire Prevalence</b>		<b>National Prevalence (Prior Year)</b>
			<b>Number</b>	<b>%</b>	
			<b>Number</b>	<b>%</b>	
<b>Birthweight (4)</b>					
Low	< 2500 g		2,732	8.7	1,961,342 8.9
High	> 4000 g		2,732	9.2	1,961,342 6.4
<b>Height and Weight</b>					
Short Stature (5)	< 5th		18,403	5.8	8,451,215 6.0
	< 10th		18,403	10.6	8,451,215 10.8
Underweight (6)	< 5th		18,403	2.8	8,451,215 4.3
	< 10th		18,403	5.3	8,451,215 7.5
Obese (6) ≥ 2 Yrs Overweight (6)	≥ 95th		18,403	13.1	8,451,215 14.0
	85th - < 95th		8,621	17.1	3,678,355 16.4
	≥ 95th		8,621	14.2	3,678,355 14.7
<b>Anemia (7)</b>					
Low Hb			10,511	13.7	5,201,886 15.1
Low Hct			4	*	538,293 11.6
Low Hb/Hct			10,515	13.7	5,524,196 14.9
<b>Breastfeeding (8)</b>					
Ever Breastfed			4,487	71.1	1,769,160 61.7
Breastfed At Least 6 Months			1,828	22.7	911,779 27.0
Breastfed At Least 12 Months			2,685	14.2	1,092,573 18.5
<b>Smoking in Household</b>					
≤ 2 Hours TV Viewing/ Day (9)			18,779	16.2	4,355,723 10.2
			9,273	86.2	1,022,933 77.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

(8) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(9) Children aged 2 years and older included in the analysis.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 3C**  
**2010 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**New Hampshire**  
**Summary of Breastfeeding Indicators**  
**Children Aged < 5 Years** <sup>(2)</sup>

Page: 3  
Run Date: 3 / 25 / 11

<b>Summary of Breastfeeding Indicators</b> <sup>(3)</sup>				
	New Hampshire Prevalence		National Prevalence (Prior Year)	
	Number	%	Number	%
<b>Breastfeeding Duration</b> <sup>(4,5)</sup>				
Ever Breastfed	4,487	71.1	1,769,160	61.7
Breastfed 1+ Weeks	4,160	65.9	1,499,573	58.7
Breastfed 2+ Weeks	2,803	66.4	1,164,141	56.4
Breastfed 3+ Weeks	1,966	64.0	947,758	53.6
Breastfed 4+ Weeks	1,473	58.9	826,300	50.9
Breastfed 6+ Weeks	1,085	49.9	704,088	44.6
Breastfed 2+ Months	991	42.8	665,172	39.2
Breastfed 3+ Months	1,068	34.3	714,931	34.5
Breastfed 4+ Months	1,261	30.1	806,269	31.0
Breastfed 5+ Months	1,551	25.5	904,357	28.2
Breastfed 6+ Months	1,828	22.7	911,779	27.0
Breastfed 9+ Months	2,611	16.5	1,050,661	21.8
Breastfed 12+ Months	2,685	14.2	1,092,573	18.5
Breastfed 18+ Months	1,770	10.8	862,440	10.1
<b>Exclusive Breastfeeding</b> <sup>(6)</sup>				
Exclusively Breastfed at Least 3 Months	1,042	21.8	317,037	9.9
Exclusively Breastfed at Least 6 Months	1,770	9.5	420,655	5.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. For each breastfeeding duration category, the analysis includes only children who turned that age during the reporting period by/on their date of visit. For example, infants who turned 9 months old during the reporting period by/on their date of visit are included in the 9+ months analysis.

(5) It is possible the analysis will show that slightly more infants are breastfed at older ages, e.g. 1+ week of age, than at younger ages, e.g. at birth (ever breastfed), due to variation in infants included in each breastfeeding analysis category.

(6) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 4C**  
**2010 Pediatric Nutrition Surveillance** <sup>(1)</sup>

Page: 4  
Run Date: 3 / 25 / 11

**New Hampshire**  
**Comparison of Racial and Ethnic Distribution by Contributor to Nation**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Racial and Ethnic Distribution</b>								
<b>Contributor</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaska Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
<b>New Hampshire</b>	<b>19,102</b>	<b>79.8</b>	<b>3.7</b>	<b>11.2</b>	<b>0.9</b>	<b>2.0</b>	<b>2.4</b>	<b>0.0</b>
<b>Nation (Prior Year)</b>	<b>8,938,527</b>	<b>31.8</b>	<b>18.7</b>	<b>40.6</b>	<b>0.9</b>	<b>2.6</b>	<b>2.5</b>	<b>3.0</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5C  
**2010 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**New Hampshire**  
**Comparison of Age Distribution by Contributor to Nation**  
**Children Aged < 5 Years** <sup>(2)</sup>

Page: 5  
Run Date: 3 / 25 / 11

<b>Comparison of Age Distribution</b>				
<b>Contributor</b>	Number Included in Analysis (3,4)	0 - 11 Months  %	12 - 23 Months  %	24 - 59 Months  %
<b>New Hampshire</b>	<b>19,102</b>	<b>32.1</b>	<b>21.5</b>	<b>46.5</b>
<b>Nation (Prior Year)</b>	<b>8,938,527</b>	<b>34.5</b>	<b>22.6</b>	<b>42.9</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 6C**  
**2010 Pediatric Nutrition Surveillance** (1)  
**New Hampshire**  
**Comparison of Growth and Anemia Indicators by Contributor to Nation**  
**Children Aged < 5 Years** (2)

Page: 6  
Run Date: 3 / 25 / 11

Comparison of Growth and Anemia Indicators (3)												
Contributor	Birthweight (4)			Height and Weight						Anemia Low Hb/Hct (7)		
	Low		High	Short Stature (5)	Under- weight (6)	Obese (6)	≥ 2 Yrs Over- weight (6)					
	Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% _95th	Number	% 85th- _95th	% >95th	Number	%
New Hampshire	2,732	8.7	9.2	18,403	5.8	2.8	13.1	8,621	17.1	14.2	10,515	13.7
Nation (Prior Year)	1,961,342	8.9	6.4	8,451,215	6.0	4.3	14.0	3,678,355	16.4	14.7	5,524,196	14.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children..

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 7C**  
**2010 Pediatric Nutrition Surveillance** (1)  
**New Hampshire**

Page: 7  
Run Date: 3 / 25 / 11

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Contributor to Nation** (2)  
**Children Aged < 5 Years** (3)

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household</b> (4)								
	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)	Smoking in Household
<b>Contributor</b>	Number	% Ever Breastfed	Number    % Breastfed At Least 6 Months	Number    % Breastfed At Least 12 Months	Number    % Breastfed At Least 3 Months	Number    % Breastfed At Least 6 Months	Number    %	Number    %
<b>New Hampshire</b>	<b>4,487</b>	<b>71.1</b>	<b>1,828    22.7</b>	<b>2,685    14.2</b>	<b>1,042    21.8</b>	<b>1,770    9.5</b>	<b>9,273    86.2</b>	<b>18,779    16.2</b>
<b>Nation (Prior Year)</b>	<b>1,769,160</b>	<b>61.7</b>	<b>911,779    27.0</b>	<b>1,092,573    18.5</b>	<b>317,037    9.9</b>	<b>420,655    5.3</b>	<b>1,022,933    77.3</b>	<b>4,355,723    10.2</b>

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(6) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(7) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 8C**  
**2010 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**New Hampshire**  
**Growth and Anemia Indicators by Race/Ethnicity or Age**  
**Children Aged < 5 Years** <sup>(2)</sup>

Page: 8  
Run Date: 3 / 25 / 11

Growth and Anemia Indicators by Race/Ethnicity or Age <sup>(3)</sup>												
	Birthweight (4)			Height and Weight							Anemia Low Hb/Hct (7)	
	Number	Low %	High %	Number	Short Stature (5)	Under- weight (6)	Obese (6)	≥ 2 Yrs Overweight (6)				
		<2500 g	>4000 g		% <5th	% <5th	% ≥95th	Number	% 85th-<95th	% ≥95th		
												Number
Race/Ethnicity												
White, Not Hispanic	2,186	8.5	9.6	14,694	6.0	2.7	12.8	6,926	17.6	14.0	8,480	12.3
Black, Not Hispanic	77	*	*	679	4.6	3.5	15.5	353	13.0	15.0	394	25.1
Hispanic	311	10.6	8.0	2,056	5.0	2.8	14.4	907	17.0	16.0	1,089	18.8
American Indian/Alaska Native	16	*	*	161	4.3	1.9	16.1	80	*	*	102	10.8
Asian/Pacific Islander	56	*	*	378	6.3	5.3	7.9	180	8.9	10.0	217	17.5
Multiple Races	86	*	*	435	4.6	1.8	14.9	175	17.7	13.7	233	18.0
All Other	0	*	*	0	*	*	*	0	*	*	0	*
Total	2,732	8.7	9.2	18,403	5.8	2.8	13.1	8,621	17.1	14.2	10,515	13.7
Age												
0 - 11 Months	-	-	-	5,774	9.0	3.6	9.0	-	*	*	959	19.4
12 - 23 Months	-	-	-	4,008	5.4	2.0	16.5	-	*	*	3,337	15.1
24 - 35 Months	-	-	-	3,223	4.2	3.2	11.6	3,223	16.2	11.6	2,413	15.5
36 - 47 Months	-	-	-	2,982	3.8	2.3	15.6	2,982	17.0	15.6	2,262	11.1
48 - 59 Months	-	-	-	2,416	3.3	2.0	16.0	2,416	18.4	16.0	1,544	8.1
Total	-	-	-	18,403	5.8	2.8	13.1	8,621	17.1	14.2	10,515	13.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.





**Table 9C**  
**2010 Pediatric Nutrition Surveillance** (1)  
**New Hampshire**

Page: 9  
Run Date: 3 / 25 / 11

**Breastfeeding, TV Viewing, and Smoking in Household by Race/Ethnicity or Age** (2)  
**Children Aged < 5 Years** (3)

Breastfeeding, TV Viewing, and Smoking in Household by Race/Ethnicity or Age (4)										
	Breastfeeding (5)						<2 Hours TV/Video Viewing/Day (6)		Smoking in Household	
	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	%	Number	%
Race/Ethnicity										
White, Not Hispanic	3,600	70.3	1,421	23.2	2,093	14.3	7,446	87.3	14,988	17.0
Black, Not Hispanic	141	84.4	59	*	104	21.2	383	82.2	700	7.1
Hispanic	508	72.4	237	13.1	326	7.4	972	80.8	2,095	15.1
American Indian/Alaska Native	27	*	15	*	17	*	90	*	165	12.7
Asian/Pacific Islander	81	*	43	*	61	*	196	78.1	385	6.0
Multiple Races	130	68.5	53	*	84	*	186	85.5	446	17.0
All Other	0	*	0	*	0	*	0	*	0	*
Total	4,487	71.1	1,828	22.7	2,685	14.2	9,273	86.2	18,779	16.2
Age										
0 - 11 Months	-	-	-	-	-	-	0	*	5,891	13.2
12 - 23 Months	-	-	-	-	-	-	0	*	4,061	15.8
24 - 35 Months	-	-	-	-	-	-	3,755	87.5	3,309	19.3
36 - 47 Months	-	-	-	-	-	-	2,980	85.7	3,009	17.4
48 - 59 Months	-	-	-	-	-	-	2,538	84.8	2,509	18.1
Total	4,487	71.1	1,828	22.7	2,685	14.2	9,273	86.2	18,779	16.2

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(6) Children aged 2 years and older included in the analysis

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 10C**  
**2010 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**New Hampshire**  
**Summary of Trends in Racial and Ethnic Distribution**  
**Children Aged < 5 Years** <sup>(2)</sup>

Page: 10  
Run Date: 3 / 25 / 11

<b>Summary of Trends in Racial and Ethnic Distribution</b>								
Year	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
2010	19,102	79.8	3.7	11.2	0.9	2.0	2.4	0.0
2009	20,115	81.0	3.7	10.4	0.8	2.0	1.9	0.2
2008	19,071	83.1	4.1	8.7	0.9	1.8	1.5	0.0
2007	17,842	84.7	4.4	7.3	0.7	1.7	1.2	0.0
2006	17,135	87.4	4.6	5.0	0.4	1.6	0.9	0.0
2005	18,215	64.4	3.7	6.0	0.1	1.1	1.1	23.7
2004	17,446	87.1	4.6	6.9	0.1	1.3	0.0	0.0
2003	17,010	88.8	3.7	6.3	0.1	1.1	0.0	0.0
2002	15,755	89.4	3.6	5.8	0.1	1.1	0.0	0.0
2001	13,992	90.4	3.3	5.2	0.2	0.9	0.0	0.0
2000	2,184	93.4	2.4	3.7	0.1	0.4	0.0	0.0
1999	13,608	95.3	1.9	2.2	0.1	0.5	0.0	0.0
1998	11,946	98.1	0.6	1.0	0.0	0.3	0.0	0.0
1997	18,719	98.3	0.6	0.8	0.0	0.2	0.0	0.0
1996	19,267	97.9	0.7	1.1	0.0	0.3	0.0	0.0
1995	19,804	97.3	0.8	1.6	0.0	0.3	0.0	0.0
1994	20,220	96.1	1.2	2.2	0.0	0.5	0.0	0.0
1993	19,957	96.3	1.2	2.0	0.0	0.5	0.0	0.0
1992	20,470	96.1	1.3	2.0	0.0	0.5	0.0	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 10C**  
**2010 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**New Hampshire**  
**Summary of Trends in Racial and Ethnic Distribution**  
**Children Aged < 5 Years** <sup>(2)</sup>

Page: 11  
Run Date: 3 / 25 / 11

<b>Summary of Trends in Racial and Ethnic Distribution</b>								
Year	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
1991	18,351	96.4	1.2	1.8	0.1	0.5	0.0	0.0
1990	17,240	95.9	1.7	1.8	0.1	0.5	0.0	0.0
1989	15,613	95.9	1.6	1.9	0.1	0.5	0.0	0.0
1988	14,027	96.4	1.5	1.5	0.1	0.6	0.0	0.0
1987	14,246	96.1	1.6	1.5	0.1	0.7	0.0	0.0
1986	15,158	96.7	1.3	1.0	0.1	0.9	0.0	0.0
1985	16,440	97.3	0.9	0.8	0.1	0.9	0.0	0.1
1984	16,865	97.4	0.9	0.9	0.0	0.7	0.0	0.1
1983	74	*	*	*	*	*	*	*
1982	3	*	*	*	*	*	*	*
1981	2	*	*	*	*	*	*	*
1980	1	*	*	*	*	*	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 11C**  
**2010 Pediatric Nutrition Surveillance** (1)  
**New Hampshire**  
**Summary of Trends in Age Distribution**  
**Children Aged < 5 Years** (2)

Page: 12  
Run Date: 3 / 25 / 11

<b>Summary of Trends in Age Distribution</b> (3)				
Year	Number Included in Analysis (4)	0-11 Months %	12-23 Months %	24-59 Months %
2010	19,102	32.1	21.5	46.5
2009	20,115	32.6	21.9	45.5
2008	19,071	33.8	22.8	43.4
2007	17,842	35.5	22.8	41.7
2006	17,135	36.5	21.5	42.0
2005	18,215	39.2	18.5	42.2
2004	17,446	38.3	18.3	43.4
2003	17,010	37.6	18.7	43.7
2002	15,755	37.2	18.2	44.6
2001	13,992	37.8	18.4	43.8
2000	2,184	33.8	20.5	45.7
1999	13,608	34.6	20.4	45.1
1998	11,946	31.5	21.4	47.1
1997	18,719	33.9	20.6	45.4
1996	19,267	33.7	20.7	45.6
1995	19,804	33.0	20.5	46.5
1994	20,220	33.3	19.5	47.2
1993	19,957	34.1	20.4	45.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Records rejected if date of birth and date of visit unknown.

(4) Excludes records with unknown data or errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 11C**  
**2010 Pediatric Nutrition Surveillance** (1)  
**New Hampshire**  
**Summary of Trends in Age Distribution**  
**Children Aged < 5 Years** (2)

Page: 13  
Run Date: 3 / 25 / 11

<b>Summary of Trends in Age Distribution</b> (3)				
Year	Number Included in Analysis (4)	0-11 Months %	12-23 Months %	24-59 Months %
1992	20,470	34.0	21.1	45.0
1991	18,351	36.5	22.7	40.8
1990	17,240	33.3	21.9	44.8
1989	15,613	34.0	20.6	45.4
1988	14,027	33.1	20.6	46.3
1987	14,246	33.9	20.6	45.5
1986	15,158	34.5	19.6	45.9
1985	16,440	33.2	19.5	47.3
1984	16,865	33.6	20.1	46.3
1983	74	*	*	*
1982	3	*	*	*
1981	2	*	*	*
1980	1	*	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Records rejected if date of birth and date of visit unknown.

(4) Excludes records with unknown data or errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 12C**  
**2010 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**New Hampshire**  
**Summary of Trends in Growth and Anemia Indicators**  
**Children Aged < 5 Years** <sup>(2)</sup>

Page: 14  
Run Date: 3/25/2011

Summary of Trends in Growth and Anemia Indicators <sup>(3)</sup>												
Year	Birthweight (4)			Height and Weight							Anemia Low Hb/Hct (7)	
	Low	High		Short Stature (5)	Under- weight (6)	Obese (6)	>_2 Yrs Overweight (6)					
	Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥ 95th	Number	% 85th-<95th	% ≥95th	Number	%
2010	2,732	8.7	9.2	18,403	5.8	2.8	13.1	8,621	17.1	14.2	10,515	13.7
2009	3,945	8.3	10.0	19,456	6.2	2.5	13.4	8,963	17.8	14.4	11,568	13.8
2008	4,457	7.1	9.6	18,123	6.2	2.7	14.4	8,082	17.8	15.5	10,532	12.6
2007	4,391	7.6	10.2	16,309	6.5	2.7	14.8	7,254	17.8	15.8	9,677	13.7
2006	4,039	8.0	9.0	15,460	6.7	3.1	15.0	7,003	18.1	15.9	9,085	13.8
2005	4,558	8.4	10.1	16,981	6.2	3.2	15.5	7,492	18.7	15.9	12,305	10.7
2004	4,246	7.3	9.8	16,280	7.4	2.9	17.3	7,348	19.4	16.3	11,090	11.5
2003	4,038	7.8	10.8	15,865	6.8	3.3	16.3	7,227	19.4	15.6	10,490	13.8
2002	3,621	7.6	10.4	14,576	7.3	3.3	16.7	6,759	17.9	15.1	8,971	15.0
2001	3,612	9.5	10.5	12,985	7.9	3.2	16.6	5,913	16.8	14.4	8,065	16.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 12C**  
**2010 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**New Hampshire**  
**Summary of Trends in Growth and Anemia Indicators**  
**Children Aged < 5 Years** <sup>(2)</sup>

Page: 15  
Run Date: 3/25/2011

Summary of Trends in Growth and Anemia Indicators <sup>(3)</sup>												
Year	Birthweight (4)			Height and Weight							Anemia Low Hb/Hct (7)	
	Low	High		Short Stature (5)	Under- weight (6)	Obese (6)	>_2 Yrs Overweight (6)					
	Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥ 95th	Number	% 85th-<95th	% ≥95th	Number	%
2000	398	6.0	12.6	2,029	7.0	3.7	16.2	960	18.3	15.1	961	15.4
1999	2,986	8.8	11.2	12,520	8.0	3.9	14.8	5,975	18.0	14.4	7,015	15.6
1998	2,304	7.2	12.1	11,019	7.7	3.7	14.9	5,530	16.9	13.5	6,436	16.0
1997	4,088	7.1	11.4	16,869	7.6	4.0	13.5	8,343	16.2	12.7	11,285	14.8
1996	4,405	6.6	11.8	16,814	7.9	4.1	13.6	8,715	17.2	12.2	12,245	14.3
1995	4,381	7.1	11.8	17,233	7.9	3.6	12.6	9,084	16.7	11.0	13,067	13.8
1994	4,639	6.8	11.4	17,739	8.2	4.3	12.2	9,370	16.3	10.6	13,179	12.7
1993	4,527	6.4	11.2	17,616	7.7	4.6	11.3	8,995	14.5	9.0	12,161	12.7
1992	4,685	7.6	11.1	17,869	8.6	4.1	12.0	9,007	15.4	9.8	12,922	10.9
1991	4,612	5.8	11.2	15,974	8.5	4.4	11.1	7,325	14.3	9.0	11,899	11.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 12C**  
**2010 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**New Hampshire**  
**Summary of Trends in Growth and Anemia Indicators**  
**Children Aged < 5 Years** <sup>(2)</sup>

Page: 16  
Run Date: 3/25/2011

Summary of Trends in Growth and Anemia Indicators <sup>(3)</sup>												
Year	Birthweight (4)			Height and Weight							Anemia Low Hb/Hct (7)	
	Low	High		Short Stature (5)	Under- weight (6)	Obese (6)	>_2 Yrs Overweight (6)					
	Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥ 95th	Number	% 85th-<95th	% ≥95th	Number	%
1990	4,037	6.7	11.3	15,094	7.2	5.1	9.3	7,572	12.6	7.3	11,079	12.6
1989	3,535	7.6	11.2	14,189	7.4	5.2	8.9	7,011	13.9	7.7	10,305	17.0
1988	2,929	6.5	11.0	12,815	7.9	4.8	8.6	6,419	13.1	7.7	9,282	12.9
1987	3,310	7.5	10.7	12,988	7.4	5.2	7.7	6,414	13.4	7.3	9,468	12.1
1986	3,341	7.4	11.5	14,038	7.9	5.3	7.8	6,829	12.3	7.2	10,415	13.5
1985	3,476	6.8	11.8	15,755	7.2	5.2	6.9	7,639	12.9	6.6	11,074	14.7
1984	3,688	6.9	11.8	16,459	6.3	5.9	6.4	7,751	12.1	5.8	11,810	13.6
1983	48	*	*	56	*	*	*	9	*	*	28	*
1982	1	*	*	0	*	*	*	0	*	*	0	*
1981	0	*	*	0	*	*	*	0	*	*	1	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.





**Table 12C**  
**2010 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**New Hampshire**  
**Summary of Trends in Growth and Anemia Indicators**  
**Children Aged < 5 Years** <sup>(2)</sup>

Page: 17  
Run Date: 3/25/2011

Summary of Trends in Growth and Anemia Indicators <sup>(3)</sup>												
Year	Birthweight (4)			Height and Weight							Anemia Low Hb/Hct (7)	
	Low		High	Short Stature (5)		Under- weight (6)	Obese (6)	≥ 2 Yrs Overweight (6)				
	Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥ 95th	Number	% 85th-<95th	% ≥95th	Number	%
1980	0	*	*	0	*	*	*	0	*	*	1	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 13C**  
**2010 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**New Hampshire**  
**Summary of Trends in Breastfeeding**  
**Children Aged < 5 Years** <sup>(2)</sup>

Page: 18  
Run Date: 3/25/2011

<b>Summary of Trends in Breastfeeding</b> <sup>(3)</sup>						
Year	Breastfeeding (4)					
	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
2010	4,487	71.1	1,828	22.7	2,685	14.2
2009	4,830	68.8	1,976	26.0	2,917	15.4
2008	4,771	67.0	1,975	24.6	2,876	15.9
2007	4,653	65.4	1,736	23.7	2,504	14.1
2006	4,579	64.6	1,758	22.8	2,317	14.7
2005	4,685	60.5	2,955	20.3	2,192	15.2
2004	4,316	60.3	2,991	21.5	2,203	12.5
2003	4,123	59.2	2,913	18.7	2,086	8.5
2002	3,680	59.3	2,388	19.0	1,787	7.5
2001	3,679	53.0	2,466	18.4	1,880	7.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 13C**  
**2010 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**New Hampshire**  
**Summary of Trends in Breastfeeding**  
**Children Aged < 5 Years** <sup>(2)</sup>

Page: 19  
Run Date: 3/25/2011

<b>Summary of Trends in Breastfeeding</b> <sup>(3)</sup>						
Year	Breastfeeding (4)					
	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
2000	404	50.5	178	18.0	181	15.5
1999	3,054	48.6	1,760	19.5	1,590	13.0
1998	2,373	45.7	1,370	19.3	1,474	12.9
1997	4,318	42.6	2,404	18.7	2,389	10.9
1996	4,538	50.9	2,542	17.1	2,547	10.6
1995	4,510	43.3	2,576	17.8	2,685	11.4
1994	4,747	37.3	2,462	15.3	2,580	10.6
1993	4,629	36.6	2,752	15.1	2,698	11.9
1992	4,832	34.9	2,718	15.2	2,840	9.8
1991	4,511	34.3	2,610	19.8	2,674	17.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 13C**  
**2010 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**New Hampshire**  
**Summary of Trends in Breastfeeding**  
**Children Aged < 5 Years** <sup>(2)</sup>

Page: 20  
Run Date: 3/25/2011

<b>Summary of Trends in Breastfeeding</b> <sup>(3)</sup>						
Year	Breastfeeding (4)					
	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
1990	3,673	33.3	1,957	19.8	2,195	12.0
1989	3,569	28.0	2,308	14.9	2,041	10.4
1988	2,971	29.0	2,075	17.3	1,767	13.3
1987	3,359	31.6	2,368	17.7	1,986	11.7
1986	3,413	35.7	2,578	19.7	2,039	11.7
1985	2,931	45.2	2,415	18.2	1,957	11.9
1984	3,392	46.7	2,483	20.3	1,972	10.2
1983	49	*	13	*	6	*
1982	1	*	0	*	0	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 14C  
**2010 Pediatric Nutrition Surveillance**  
New Hampshire  
Children Aged < 5 Years

Page: 21  
Run Date: 3 / 25 / 11

**This table is forthcoming. It may present changes over time in the prevalence of short stature, underweight, overweight, or anemia among cohorts of children participating in the PedNSS.**

Table 15C  
**2010 Pediatric Nutrition Surveillance**  
New Hampshire  
Children Aged < 5 Years

Page: 22  
Run Date: 3 / 25 / 11

**This table is forthcoming. It may present changes over time in the prevalence of short stature, underweight, overweight, or anemia among cohorts of children participating in the PedNSS.**

**Table 16C**  
**2010 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**New Hampshire**  
**Growth Indicators by Race/Ethnicity and Age**  
**Children Aged < 5 Years** <sup>(2)</sup>

Page: 23  
Run Date: 3/25/2011

<b>Growth Indicators by Race/Ethnicity and Age</b> <sup>(3)</sup>								
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th    % ≥95th
White, Not Hispanic								
0 - 11 Months	4,624	9.3	4,624	3.7	4,624	8.8	0	0.0    0.0
12 - 23 Months	3,144	5.3	3,144	1.8	3,144	16.2	0	0.0    0.0
24 - 59 Months	6,926	4.1	6,926	2.5	6,926	14.0	6,926	17.6    14.0
<b>Total</b>	<b>14,694</b>	<b>6.0</b>	<b>14,694</b>	<b>2.7</b>	<b>14,694</b>	<b>12.8</b>	<b>6,926</b>	<b>17.6    14.0</b>
Black, Not Hispanic								
0 - 11 Months	181	8.3	181	3.9	181	11.6	0	0.0    0.0
12 - 23 Months	145	4.1	145	4.1	145	21.4	0	0.0    0.0
24 - 59 Months	353	2.8	353	3.1	353	15.0	353	13.0    15.0
<b>Total</b>	<b>679</b>	<b>4.6</b>	<b>679</b>	<b>3.5</b>	<b>679</b>	<b>15.5</b>	<b>353</b>	<b>13.0    15.0</b>
Hispanic								
0 - 11 Months	660	8.2	660	3.5	660	9.5	0	0.0    0.0
12 - 23 Months	489	5.7	489	2.7	489	18.2	0	0.0    0.0
24 - 59 Months	907	2.2	907	2.4	907	16.0	907	17.0    16.0
<b>Total</b>	<b>2,056</b>	<b>5.0</b>	<b>2,056</b>	<b>2.8</b>	<b>2,056</b>	<b>14.4</b>	<b>907</b>	<b>17.0    16.0</b>
American Indian/Alaska Native								
0 - 11 Months	41	*	41	*	41	*	0	*    *
12 - 23 Months	40	*	40	*	40	*	0	*    *
24 - 59 Months	80	*	80	*	80	*	80	*    *
<b>Total</b>	<b>161</b>	<b>4.3</b>	<b>161</b>	<b>1.9</b>	<b>161</b>	<b>16.1</b>	<b>80</b>	<b>*    *</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 16C**  
**2010 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**New Hampshire**  
**Growth Indicators by Race/Ethnicity and Age**  
**Children Aged < 5 Years** <sup>(2)</sup>

Page: 24  
Run Date: 3/25/2011

<b>Growth Indicators by Race/Ethnicity and Age</b> <sup>(3)</sup>								
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th    % ≥95th
Asian/Pacific Islander								
0 - 11 Months	111	7.2	111	5.4	111	5.4	0	0.0    0.0
12 - 23 Months	87	*	87	*	87	*	0	*    *
24 - 59 Months	180	5.0	180	6.1	180	10.0	180	8.9    10.0
<b>Total</b>	<b>378</b>	<b>6.3</b>	<b>378</b>	<b>5.3</b>	<b>378</b>	<b>7.9</b>	<b>180</b>	<b>8.9    10.0</b>
Multiple Races								
0 - 11 Months	157	7.6	157	2.5	157	11.5	0	0.0    0.0
12 - 23 Months	103	4.9	103	1.0	103	22.3	0	0.0    0.0
24 - 59 Months	175	1.7	175	1.7	175	13.7	175	17.7    13.7
<b>Total</b>	<b>435</b>	<b>4.6</b>	<b>435</b>	<b>1.8</b>	<b>435</b>	<b>14.9</b>	<b>175</b>	<b>17.7    13.7</b>
All Other/Unknown								
0 - 11 Months	0	*	0	*	0	*	0	*    *
12 - 23 Months	0	*	0	*	0	*	0	*    *
24 - 59 Months	0	*	0	*	0	*	0	*    *
<b>Total</b>	<b>0</b>	<b>*</b>	<b>0</b>	<b>*</b>	<b>0</b>	<b>*</b>	<b>0</b>	<b>*    *</b>
Total All Race/Ethnic Groups								
0 - 11 Months	5,774	9.0	5,774	3.6	5,774	9.0	0	0.0    0.0
12 - 23 Months	4,008	5.4	4,008	2.0	4,008	16.5	0	0.0    0.0
24 - 59 Months	8,621	3.8	8,621	2.6	8,621	14.2	8,621	17.1    14.2
<b>Total</b>	<b>18,403</b>	<b>5.8</b>	<b>18,403</b>	<b>2.8</b>	<b>18,403</b>	<b>13.1</b>	<b>8,621</b>	<b>17.1    14.2</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.





Table 17C  
**2010 Pediatric Nutrition Surveillance** (1)  
**New Hampshire**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged < 5 Years** (2)

Page: 25  
Run Date: 3 / 25 / 11

<b>Anemia Indicators by Race/Ethnicity and Age</b> (3, 4)					
	Anemia Low Hb/Hct %			Anemia Low Hb/Hct %	
	Number			Number	
White, Not Hispanic			Asian/Pacific Islander		
6 - 11 Months	761	17.2	6 - 11 Months	19	*
12 - 17 Months	1,291	15.9	12 - 17 Months	38	*
18 - 23 Months	1,401	11.5	18 - 23 Months	28	*
24 - 35 Months	1,938	14.2	24 - 35 Months	54	*
36 - 59 Months	3,089	8.8	36 - 59 Months	78	*
<b>Total</b>	<b>8,480</b>	<b>12.3</b>	<b>Total</b>	<b>217</b>	<b>17.5</b>
Black, Not Hispanic			Multiple Races		
6 - 11 Months	28	*	6 - 11 Months	22	*
12 - 17 Months	40	*	12 - 17 Months	47	*
18 - 23 Months	67	*	18 - 23 Months	36	*
24 - 35 Months	101	30.7	24 - 35 Months	56	*
36 - 59 Months	158	19.0	36 - 59 Months	72	*
<b>Total</b>	<b>394</b>	<b>25.1</b>	<b>Total</b>	<b>233</b>	<b>18.0</b>
Hispanic			All Other/Unknown		
6 - 11 Months	119	31.9	6 - 11 Months	0	*
12 - 17 Months	152	22.4	12 - 17 Months	0	*
18 - 23 Months	205	18.0	18 - 23 Months	0	*
24 - 35 Months	236	17.4	24 - 35 Months	0	*
36 - 59 Months	377	14.6	36 - 59 Months	0	*
<b>Total</b>	<b>1,089</b>	<b>18.8</b>	<b>Total</b>	<b>0</b>	<b>*</b>
American Indian/Alaska Native			Total All Race/Ethnic Groups		
6 - 11 Months	10	*	6 - 11 Months	959	19.4
12 - 17 Months	12	*	12 - 17 Months	1,580	17.6
18 - 23 Months	20	*	18 - 23 Months	1,757	12.8
24 - 35 Months	28	*	24 - 35 Months	2,413	15.5
36 - 59 Months	32	*	36 - 59 Months	3,806	9.9
<b>Total</b>	<b>102</b>	<b>10.8</b>	<b>Total</b>	<b>10,515</b>	<b>13.7</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 18C**  
**2010 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**New Hampshire**

Page: 26  
Run Date: 3 / 25 / 11

**Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity**  
**Children Aged < 5 Years** <sup>(2)</sup>

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity <sup>(3)</sup>													
Race/Ethnicity and Year		Birthweight <sup>(4)</sup>			Height and Weight							Anemia Low Hb/Hct (7)	
		Low		High	Short Stature (5)		Under- weight (6)	Obese (6)	≥ 2 Yrs Overweight (6)				
		Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥ 95th	Number	% 85th - <95th	% ≥ 95th	Number	%
White, Not Hispanic	2010	2,186	8.5	9.6	14,694	6.0	2.7	12.8	6,926	17.6	14.0	8,480	12.3
	2009	3,095	8.1	10.6	15,752	6.2	2.6	13.0	7,384	18.1	14.2	9,459	12.1
	2008	3,610	7.1	10.0	15,046	6.2	2.7	14.2	7,001	17.9	15.5	8,859	11.3
	2007	3,567	7.8	10.5	13,829	6.5	2.7	14.8	6,437	18.0	15.8	8,322	12.0
	2006	3,269	7.8	9.2	13,559	6.6	3.0	15.1	6,322	18.6	16.0	8,108	12.9
	2005	3,477	8.1	10.4	10,762	5.9	3.6	14.2	4,643	18.1	15.0	7,478	10.1
	2004	3,767	7.5	10.0	14,125	7.5	2.8	17.3	6,352	19.5	16.2	9,516	11.0
	2003	3,613	7.9	11.1	14,035	7.0	3.1	16.2	6,396	19.5	15.4	9,227	13.5
	2002	3,247	7.6	10.4	13,040	7.5	3.2	16.3	6,079	17.9	14.9	7,986	15.1
	2001	3,252	9.6	10.7	11,739	7.9	3.2	16.2	5,408	16.7	14.0	7,279	15.6
Black, Not Hispanic	2010	77	*	*	679	4.6	3.5	15.5	353	13.0	15.0	394	25.1
	2009	115	8.7	9.6	725	4.1	3.0	15.7	380	15.0	15.5	447	32.0
	2008	158	7.0	10.1	755	5.8	3.2	16.6	385	16.9	15.3	443	30.5
	2007	132	7.6	7.6	726	5.8	3.0	15.7	384	14.8	15.4	478	29.5
	2006	118	12.7	11.0	745	5.9	3.8	14.2	372	11.8	12.9	466	27.9
	2005	155	11.6	6.5	629	5.7	2.5	15.7	300	17.7	11.3	481	22.5
	2004	147	6.8	5.4	764	8.5	3.5	15.7	395	17.7	15.9	559	21.8
	2003	114	6.1	9.6	590	4.7	5.1	17.3	293	16.0	17.1	433	23.6
	2002	117	11.1	8.5	524	5.7	4.6	19.3	238	15.1	12.2	346	20.8
	2001	97	*	*	441	5.9	3.6	19.3	166	13.9	15.1	290	22.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 18C**  
**2010 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**New Hampshire**

Page: 27  
Run Date: 3 / 25 / 11

**Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity**  
**Children Aged < 5 Years** <sup>(2)</sup>

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity <sup>(3)</sup>													
Race/Ethnicity and Year		Birthweight <sup>(4)</sup>			Height and Weight							Anemia Low Hb/Hct (7)	
		Low		High	Short Stature (5)		Under- weight (6)	Obese (6)	≥ 2 Yrs Overweight (6)				
		Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥ 95th	Number	% 85th -	% <95th	% ≥ 95th	Number
Hispanic	2010	311	10.6	8.0	2,056	5.0	2.8	14.4	907	17.0	16.0	1,089	18.8
	2009	501	10.0	7.4	2,021	6.4	2.1	16.1	788	18.1	17.0	1,102	20.4
	2008	478	7.9	6.7	1,575	6.0	2.2	16.1	443	15.8	18.5	817	15.8
	2007	481	7.3	8.7	1,164	6.3	2.4	16.0	255	19.2	18.8	568	24.3
	2006	481	8.5	7.9	706	7.6	4.0	14.6	173	12.1	19.7	264	21.2
	2005	301	9.0	10.6	1,047	5.7	3.6	18.3	443	18.3	20.3	773	10.7
	2004	259	6.6	11.2	1,151	4.9	3.6	20.3	498	20.1	18.5	855	10.1
	2003	263	5.7	8.7	1,038	4.0	3.9	17.6	445	21.3	18.7	691	12.0
	2002	207	4.3	13.5	843	5.1	3.2	23.4	377	21.0	21.0	542	11.3
	2001	208	7.2	8.2	669	7.3	2.8	22.6	300	20.3	20.3	418	20.3
American Indian/Alaska Native	2010	16	*	*	161	4.3	1.9	16.1	80	*	*	102	10.8
	2009	25	*	*	166	3.6	0.6	16.3	65	*	*	96	*
	2008	61	*	*	163	11.0	2.5	15.3	41	*	*	66	*
	2007	46	*	*	108	10.2	3.7	14.8	29	*	*	48	*
	2006	27	*	*	64	*	*	*	19	*	*	30	*
	2005	3	*	*	15	*	*	*	5	*	*	9	*
	2004	5	*	*	19	*	*	*	12	*	*	14	*
	2003	1	*	*	21	*	*	*	13	*	*	17	*
	2002	4	*	*	19	*	*	*	8	*	*	13	*
	2001	4	*	*	21	*	*	*	9	*	*	16	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 18C**  
**2010 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**New Hampshire**

Page: 28  
Run Date: 3 / 25 / 11

**Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity**  
**Children Aged < 5 Years** <sup>(2)</sup>

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity <sup>(3)</sup>													
Race/Ethnicity and Year		Birthweight <sup>(4)</sup>			Height and Weight							Anemia Low Hb/Hct (7)	
		Low		High	Short Stature (5)		Under- weight (6)	Obese (6)	≥ 2 Yrs Overweight (6)				
		Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥ 95th	Number	% 85th -	% <95th	% ≥ 95th	Number
Asian/Pacific Islander	2010	56	*	*	378	6.3	5.3	7.9	180	8.9	10.0	217	17.5
	2009	75	*	*	383	7.6	2.9	9.9	193	14.5	9.8	243	11.1
	2008	73	*	*	321	6.2	3.4	6.9	139	20.1	6.5	200	12.0
	2007	71	*	*	284	5.6	2.8	11.6	114	11.4	13.2	172	10.5
	2006	71	*	*	253	9.1	2.4	9.9	82	*	*	159	7.5
	2005	77	*	*	186	9.7	2.2	10.2	54	*	*	112	3.6
	2004	68	*	*	221	8.1	4.1	12.7	91	*	*	146	8.2
	2003	47	*	*	181	8.3	3.9	12.2	80	*	*	122	14.8
	2002	46	*	*	150	9.3	6.0	11.3	57	*	*	84	*
	2001	51	*	*	115	11.3	7.0	12.2	30	*	*	62	*
Multiple Races	2010	86	*	*	435	4.6	1.8	14.9	175	17.7	13.7	233	18.0
	2009	112	10.7	10.7	375	6.7	2.1	12.8	147	15.0	11.6	211	17.5
	2008	77	*	*	263	5.7	0.4	14.4	73	*	*	147	13.6
	2007	94	*	*	198	8.1	6.1	13.1	35	*	*	89	*
	2006	73	*	*	128	9.4	4.7	20.3	32	*	*	53	*
	2005	59	*	*	182	7.7	4.4	13.2	78	*	*	135	8.9
	2004	0	*	*	0	*	*	*	0	*	*	0	*
	2003	0	*	*	0	*	*	*	0	*	*	0	*
	2002	0	*	*	0	*	*	*	0	*	*	0	*
	2001	0	*	*	0	*	*	*	0	*	*	0	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 18C**  
**2010 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**New Hampshire**

Page: 29  
Run Date: 3 / 25 / 11

**Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity**  
**Children Aged < 5 Years** <sup>(2)</sup>

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity <sup>(3)</sup>													
Race/Ethnicity and Year		Birthweight <sup>(4)</sup>			Height and Weight							Anemia Low Hb/Hct (7)	
		Low	High	Short Stature (5)	Under- weight (6)	Obese (6)	≥ 2 Yrs Overweight (6)						
		Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥ 95th	Number	% 85th -	% <95th	% ≥ 95th	Number
All Other/Unknown	2010	0	*	*	0	*	*	*	0	*	*	0	*
	2009	22	*	*	34	*	*	*	6	*	*	10	*
	2008	0	*	*	0	*	*	*	0	*	*	0	*
	2007	0	*	*	0	*	*	*	0	*	*	0	*
	2006	0	*	*	5	*	*	*	3	*	*	5	*
	2005	486	9.3	8.8	4,160	6.9	2.0	18.4	1,969	20.2	17.8	3,317	10.5
	2004	0	*	*	0	*	*	*	0	*	*	0	*
	2003	0	*	*	0	*	*	*	0	*	*	0	*
	2002	0	*	*	0	*	*	*	0	*	*	0	*
	2001	0	*	*	0	*	*	*	0	*	*	0	*
Total All Race/Ethnic Groups	2010	2,732	8.7	9.2	18,403	5.8	2.8	13.1	8,621	17.1	14.2	10,515	13.7
	2009	3,945	8.3	10.0	19,456	6.2	2.5	13.4	8,963	17.8	14.4	11,568	13.8
	2008	4,457	7.1	9.6	18,123	6.2	2.7	14.4	8,082	17.8	15.5	10,532	12.6
	2007	4,391	7.6	10.2	16,309	6.5	2.7	14.8	7,254	17.8	15.8	9,677	13.7
	2006	4,039	8.0	9.0	15,460	6.7	3.1	15.0	7,003	18.1	15.9	9,085	13.8
	2005	4,558	8.4	10.1	16,981	6.2	3.2	15.5	7,492	18.7	15.9	12,305	10.7
	2004	4,246	7.3	9.8	16,280	7.4	2.9	17.3	7,348	19.4	16.3	11,090	11.5
	2003	4,038	7.8	10.8	15,865	6.8	3.3	16.3	7,227	19.4	15.6	10,490	13.8
	2002	3,621	7.6	10.4	14,576	7.3	3.3	16.7	6,759	17.9	15.1	8,971	15.0
	2001	3,612	9.5	10.5	12,985	7.9	3.2	16.6	5,913	16.8	14.4	8,065	16.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 19C**  
**2010 Pediatric Nutrition Surveillance (1)**  
**New Hampshire**  
**Summary of Trends in Breastfeeding Indicators by Race/Ethnicity**  
**Children Aged < 5 Years (2)**

Page: 30  
Run Date: 3 / 25 / 11

Summary of Trends in Breastfeeding Indicators by Race/Ethnicity <sup>(3)</sup>							
Race/Ethnicity and Year		Breastfeeding <sup>(4)</sup>					
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
White, Not Hispanic	2010	3,600	70.3	1,421	23.2	2,093	14.3
	2009	3,813	68.5	1,595	24.5	2,334	13.5
	2008	3,882	65.8	1,582	23.1	2,306	15.4
	2007	3,768	63.6	1,386	22.8	1,998	13.2
	2006	3,693	63.2	1,568	21.5	2,071	13.4
	2005	3,566	59.1	1,909	19.2	1,465	16.2
	2004	3,823	59.0	2,631	19.9	1,921	11.8
	2003	3,682	57.5	2,584	18.2	1,841	8.5
	2002	3,302	58.3	2,155	18.4	1,605	7.7
	2001	3,310	51.5	2,213	18.1	1,679	8.0
Black, Not Hispanic	2010	141	84.4	59	*	104	21.2
	2009	147	79.6	63	*	105	36.2
	2008	167	75.4	62	*	106	27.4
	2007	158	79.7	68	*	93	*
	2006	153	84.3	74	*	123	27.6
	2005	177	73.4	114	43.0	73	*
	2004	152	75.0	118	51.7	99	*
	2003	117	73.5	100	28.0	98	*
	2002	119	69.7	73	*	66	*
	2001	99	*	109	26.6	82	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 19C**  
**2010 Pediatric Nutrition Surveillance (1)**  
**New Hampshire**  
**Summary of Trends in Breastfeeding Indicators by Race/Ethnicity**  
**Children Aged < 5 Years (2)**

Page: 31  
Run Date: 3 / 25 / 11

Summary of Trends in Breastfeeding Indicators by Race/Ethnicity <sup>(3)</sup>							
Race/Ethnicity and Year		Breastfeeding <sup>(4)</sup>					
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
Hispanic	2010	508	72.4	237	13.1	326	7.4
	2009	588	66.3	232	25.0	341	17.6
	2008	497	72.0	223	28.3	320	13.8
	2007	501	73.3	208	20.7	305	12.1
	2006	527	67.2	58	*	63	*
	2005	309	68.6	159	17.0	132	10.6
	2004	268	70.5	205	24.4	151	7.3
	2003	275	75.3	197	19.3	119	7.6
	2002	207	67.1	127	16.5	90	*
	2001	212	64.6	122	17.2	91	*
American Indian/Alaska Native	2010	27	*	15	*	17	*
	2009	36	*	23	*	37	*
	2008	65	*	25	*	31	*
	2007	49	*	17	*	21	*
	2006	36	*	6	*	5	*
	2005	3	*	5	*	3	*
	2004	5	*	0	*	1	*
	2003	1	*	1	*	4	*
	2002	4	*	2	*	3	*
	2001	4	*	3	*	7	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 19C**  
**2010 Pediatric Nutrition Surveillance (1)**  
**New Hampshire**  
**Summary of Trends in Breastfeeding Indicators by Race/Ethnicity**  
**Children Aged < 5 Years (2)**

Page: 32  
Run Date: 3 / 25 / 11

Summary of Trends in Breastfeeding Indicators by Race/Ethnicity <sup>(3)</sup>							
Race/Ethnicity and Year		Breastfeeding <sup>(4)</sup>					
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
Asian/Pacific Islander	2010	81	*	43	*	61	*
	2009	93	*	25	*	53	*
	2008	82	*	41	*	59	*
	2007	79	*	32	*	50	*
	2006	87	*	37	*	42	*
	2005	83	*	47	*	29	*
	2004	68	*	37	*	31	*
	2003	48	*	31	*	24	*
	2002	48	*	31	*	23	*
	2001	54	*	19	*	21	*
Multiple Races	2010	130	68.5	53	*	84	*
	2009	129	65.9	35	*	43	*
	2008	78	*	42	*	54	*
	2007	98	*	25	*	37	*
	2006	83	*	15	*	13	*
	2005	59	*	28	*	26	*
	2004	0	*	0	*	0	*
	2003	0	*	0	*	0	*
	2002	0	*	0	*	0	*
	2001	0	*	0	*	0	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.





**Table 19C**  
**2010 Pediatric Nutrition Surveillance (1)**  
**New Hampshire**  
**Summary of Trends in Breastfeeding Indicators by Race/Ethnicity**  
**Children Aged < 5 Years (2)**

Page: 33  
Run Date: 3 / 25 / 11

Summary of Trends in Breastfeeding Indicators by Race/Ethnicity <sup>(3)</sup>							
Race/Ethnicity and Year		Breastfeeding <sup>(4)</sup>					
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
All Other/Unknown	2010	0	*	0	*	0	*
	2009	24	*	3	*	4	*
	2008	0	*	0	*	0	*
	2007	0	*	0	*	0	*
	2006	0	*	0	*	0	*
	2005	488	59.0	693	20.1	464	12.3
	2004	0	*	0	*	0	*
	2003	0	*	0	*	0	*
	2002	0	*	0	*	0	*
	2001	0	*	0	*	0	*
Total All Race/Ethnic Groups	2010	4,487	71.1	1,828	22.7	2,685	14.2
	2009	4,830	68.8	1,976	26.0	2,917	15.4
	2008	4,771	67.0	1,975	24.6	2,876	15.9
	2007	4,653	65.4	1,736	23.7	2,504	14.1
	2006	4,579	64.6	1,758	22.8	2,317	14.7
	2005	4,685	60.5	2,955	20.3	2,192	15.2
	2004	4,316	60.3	2,991	21.5	2,203	12.5
	2003	4,123	59.2	2,913	18.7	2,086	8.5
	2002	3,680	59.3	2,388	19.0	1,787	7.5
	2001	3,679	53.0	2,466	18.4	1,880	7.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 20C**  
**2010 Pediatric Nutrition Surveillance** (1)  
**New Hampshire**  
**Summary of Trends in Growth Indicators by Age**  
**Children Aged < 5 Years** (2)

Page: 34  
Run Date: 3 / 25 / 11

Summary of Trends in Growth Indicators by Age <sup>(3)</sup>																		
Age and Year *	Height and Weight									Age and Year *	Height and Weight							
	Short Stature (4)				Under- Obese weight (5) (5)						≥ 2 Yrs Overweight (5)							
	Number		%		%		%				Number		%		%			
	<5th		<5th		_>95th						85th-<95th		≥95th					
0 - 11 Months																		
2010	5,774	9.0	3.6	9.0	0	*	*		2010	3,223	4.2	3.2	11.6	3,223	16.2	11.6		
2009	6,223	9.7	3.3	10.3	0	*	*		2009	3,452	4.6	2.5	12.9	3,452	16.8	12.9		
2008	5,836	8.7	3.4	11.0	0	*	*		2008	3,194	5.2	2.6	14.0	3,194	16.4	14.0		
2007	5,158	8.9	3.7	12.2	0	*	*		2007	2,778	4.9	2.6	14.5	2,778	16.7	14.5		
2006	4,966	9.5	4.1	12.8	0	*	*		2006	2,582	4.1	2.7	14.2	2,582	17.1	14.2		
2005	6,219	7.2	5.0	13.8	0	*	*		2005	2,842	5.7	2.1	14.0	2,842	17.7	14.0		
2004	5,837	9.1	4.0	17.6	0	*	*		2004	2,732	6.5	2.4	15.0	2,732	18.7	15.0		
2003	5,557	8.6	4.5	16.3	0	*	*		2003	2,646	4.1	3.2	15.3	2,646	17.6	15.3		
2002	4,994	9.9	4.3	16.8	0	*	*		2002	2,496	5.7	3.3	14.5	2,496	17.5	14.5		
2001	4,585	10.5	4.1	18.3	0	*	*		2001	2,139	5.8	3.1	13.7	2,139	14.4	13.7		
12 - 23 Months																		
2010	4,008	5.4	2.0	16.5	0	*	*		2010	2,982	3.8	2.3	15.6	2,982	17.0	15.6		
2009	4,270	5.1	1.8	15.6	0	*	*		2009	2,959	3.6	2.1	15.2	2,959	18.0	15.2		
2008	4,205	6.0	2.1	16.9	0	*	*		2008	2,673	4.1	2.8	16.8	2,673	18.7	16.8		
2007	3,897	6.4	1.7	16.4	0	*	*		2007	2,401	4.9	2.6	16.6	2,401	18.8	16.6		
2006	3,491	6.4	2.4	16.5	0	*	*		2006	2,402	5.3	2.4	17.4	2,402	19.1	17.4		
2005	3,270	6.2	1.7	17.7	0	*	*		2005	2,592	5.0	2.3	17.7	2,592	18.8	17.7		
2004	3,095	8.1	1.7	19.4	0	*	*		2004	2,462	6.0	2.4	17.3	2,462	20.2	17.3		
2003	3,081	8.0	2.4	17.8	0	*	*		2003	2,527	5.6	2.5	15.8	2,527	20.7	15.8		
2002	2,823	6.7	2.6	20.5	0	*	*		2002	2,246	6.4	2.8	15.0	2,246	16.5	15.0		
2001	2,487	8.6	2.6	19.0	0	*	*		2001	2,029	5.4	2.4	14.7	2,029	17.2	14.7		
24 - 35 Months																		
2010	3,223	4.2	3.2	11.6	3,223	16.2	11.6		2010	2,982	3.8	2.3	15.6	2,982	17.0	15.6		
2009	3,452	4.6	2.5	12.9	3,452	16.8	12.9		2009	2,959	3.6	2.1	15.2	2,959	18.0	15.2		
2008	3,194	5.2	2.6	14.0	3,194	16.4	14.0		2008	2,673	4.1	2.8	16.8	2,673	18.7	16.8		
2007	2,778	4.9	2.6	14.5	2,778	16.7	14.5		2007	2,401	4.9	2.6	16.6	2,401	18.8	16.6		
2006	2,582	4.1	2.7	14.2	2,582	17.1	14.2		2006	2,402	5.3	2.4	17.4	2,402	19.1	17.4		
2005	2,842	5.7	2.1	14.0	2,842	17.7	14.0		2005	2,592	5.0	2.3	17.7	2,592	18.8	17.7		
2004	2,732	6.5	2.4	15.0	2,732	18.7	15.0		2004	2,462	6.0	2.4	17.3	2,462	20.2	17.3		
2003	2,646	4.1	3.2	15.3	2,646	17.6	15.3		2003	2,527	5.6	2.5	15.8	2,527	20.7	15.8		
2002	2,496	5.7	3.3	14.5	2,496	17.5	14.5		2002	2,246	6.4	2.8	15.0	2,246	16.5	15.0		
2001	2,139	5.8	3.1	13.7	2,139	14.4	13.7		2001	2,029	5.4	2.4	14.7	2,029	17.2	14.7		
36 - 47 Months																		
2010	2,982	3.8	2.3	15.6	2,982	17.0	15.6		2010	2,982	3.8	2.3	15.6	2,982	17.0	15.6		
2009	2,959	3.6	2.1	15.2	2,959	18.0	15.2		2009	2,959	3.6	2.1	15.2	2,959	18.0	15.2		
2008	2,673	4.1	2.8	16.8	2,673	18.7	16.8		2008	2,673	4.1	2.8	16.8	2,673	18.7	16.8		
2007	2,401	4.9	2.6	16.6	2,401	18.8	16.6		2007	2,401	4.9	2.6	16.6	2,401	18.8	16.6		
2006	2,402	5.3	2.4	17.4	2,402	19.1	17.4		2006	2,402	5.3	2.4	17.4	2,402	19.1	17.4		
2005	2,592	5.0	2.3	17.7	2,592	18.8	17.7		2005	2,592	5.0	2.3	17.7	2,592	18.8	17.7		
2004	2,462	6.0	2.4	17.3	2,462	20.2	17.3		2004	2,462	6.0	2.4	17.3	2,462	20.2	17.3		
2003	2,527	5.6	2.5	15.8	2,527	20.7	15.8		2003	2,527	5.6	2.5	15.8	2,527	20.7	15.8		
2002	2,246	6.4	2.8	15.0	2,246	16.5	15.0		2002	2,246	6.4	2.8	15.0	2,246	16.5	15.0		
2001	2,029	5.4	2.4	14.7	2,029	17.2	14.7		2001	2,029	5.4	2.4	14.7	2,029	17.2	14.7		

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and  $\geq$  95th percentile category identifies obese children.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 20C**  
**2010 Pediatric Nutrition Surveillance** (1)  
**New Hampshire**  
**Summary of Trends in Growth Indicators by Age**  
**Children Aged < 5 Years** (2)

Page: 35  
Run Date: 3 / 25 / 11

Summary of Trends in Growth Indicators by Age <sup>(3)</sup>																			
Age and Year *		Height and Weight									Age and Year *		Height and Weight						
		Short Stature (4)		Under- weight (5)	Obese (5)	≥ 2 Yrs Overweight (5)							Short Stature (4)		Under- weight (5)	Obese (5)	≥ 2 Yrs Overweight (5)		
		Number	%	%	%	Number	%	%					Number	%	%	%	Number	%	%
		<5th	<5th	%	>95th	85th-<95th	%	>95th			<5th	<5th	%	≥ 95th	85th-<95th	%	>95th		
48 - 59 Months																			
2010		2,416	3.3	2.0	16.0	2,416	18.4	16.0											
2009		2,552	4.3	2.7	15.5	2,552	18.8	15.5											
2008		2,215	3.7	1.9	16.2	2,215	18.9	16.2											
2007		2,075	4.8	2.5	16.8	2,075	18.1	16.8											
2006		2,019	5.3	2.9	16.1	2,019	18.3	16.1											
2005		2,058	5.1	2.4	16.3	2,058	20.0	16.3											
2004		2,154	4.6	2.6	16.6	2,154	19.5	16.6											
2003		2,054	4.7	2.4	15.7	2,054	20.2	15.7											
2002		2,017	4.4	2.2	16.1	2,017	20.1	16.1											
2001		1,745	5.3	3.2	14.8	1,745	19.2	14.8											
Total All Age Groups																			
2010		18,403	5.8	2.8	13.1	8,621	17.1	14.2											
2009		19,456	6.2	2.5	13.4	8,963	17.8	14.4											
2008		18,123	6.2	2.7	14.4	8,082	17.8	15.5											
2007		16,309	6.5	2.7	14.8	7,254	17.8	15.8											
2006		15,460	6.7	3.1	15.0	7,003	18.1	15.9											
2005		16,981	6.2	3.2	15.5	7,492	18.7	15.9											
2004		16,280	7.4	2.9	17.3	7,348	19.4	16.3											
2003		15,865	6.8	3.3	16.3	7,227	19.4	15.6											
2002		14,576	7.3	3.3	16.7	6,759	17.9	15.1											
2001		12,985	7.9	3.2	16.6	5,913	16.8	14.4											

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 21C**  
**2010 Pediatric Nutrition Surveillance** (1)  
**New Hampshire**  
**Summary of Trends in Anemia by Age**  
**Children Aged < 5 Years** (2)

Page: 36  
Run Date: 3 / 25 / 11

<b>Summary of Trends in Anemia by Age</b> (3)						
Age and Year		Anemia Low Hb/Hct (4)				
		Number	%			
6 - 11 Months				18 - 23 Months		
	2010	959	19.4		2010	1,757 12.8
	2009	1,111	20.1		2009	1,967 14.3
	2008	1,020	14.4		2008	1,633 12.7
	2007	1,077	19.8		2007	1,550 14.4
	2006	1,224	18.9		2006	1,282 14.0
	2005	1,998	16.9		2005	1,552 10.2
	2004	1,529	16.4		2004	1,280 12.1
	2003	1,530	18.0		2003	1,267 15.3
	2002	1,269	20.8		2002	1,102 16.3
	2001	1,171	21.4		2001	961 16.5
12 - 17 Months				24 - 35 Months		
	2010	1,580	17.6		2010	2,413 15.5
	2009	1,813	17.7		2009	2,581 13.6
	2008	1,743	16.9		2008	2,540 12.5
	2007	1,688	17.6		2007	2,162 12.4
	2006	1,581	17.8		2006	1,931 14.4
	2005	1,808	12.5		2005	2,735 10.7
	2004	1,698	16.5		2004	2,529 11.3
	2003	1,664	19.0		2003	2,398 14.1
	2002	1,390	17.7		2002	2,046 16.4
	2001	1,251	21.1		2001	1,755 16.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 21C**  
**2010 Pediatric Nutrition Surveillance** (1)  
**New Hampshire**  
**Summary of Trends in Anemia by Age**  
**Children Aged < 5 Years** (2)

Page: 37  
Run Date: 3 / 25 / 11

Summary of Trends in Anemia by Age (3)					
Age and Year		Anemia Low Hb/Hct (4)		Age and Year	
		Number	%		
36 - 59 Months				Total All Age Groups	
	2010	3,806	9.9		2010 10,515 13.7
	2009	4,096	10.2		2009 11,568 13.8
	2008	3,596	9.9		2008 10,532 12.6
	2007	3,200	10.2		2007 9,677 13.7
	2006	3,067	9.4		2006 9,085 13.8
	2005	4,212	7.1		2005 12,305 10.7
	2004	4,054	7.4		2004 11,090 11.5
	2003	3,631	9.0		2003 10,490 13.8
	2002	3,164	10.2		2002 8,971 15.0
	2001	2,927	11.2		2001 8,065 16.1
All Other/Unknown					
	2010	0	*		
	2009	0	*		
	2008	0	*		
	2007	0	*		
	2006	0	*		
	2005	0	*		
	2004	0	*		
	2003	0	*		
	2002	0	*		
	2001	0	*		

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

